

Daily Activations Report for Wurzel Ltd

Report for period: 30/06/2026 at 6:00 AM to 01/07/2026 at 6:00 AM

Paul Catling, Clover Cottage

01186662

User Ref: Clover Cotta

Clover Cottage, Manor Road
Sandford St Martin
Chipping Norton
OXFORDSHIRE
OX7 4EF

Date and Time	Zone	Event Detail	Actions	Alarm Closed	Operator
30/06/2026 21:00:51	3	Intruder Alarm (CbO)	KT1	30/06/2026 21:07:31	
30/06/2026 21:00:51		Intruder Alarm (CbO) T:1 (GPRS) A:1 Z:3			
30/06/2026 21:06:39		Being Handled Intruder Alarm (CbO) - Site Armed			JG
30/06/2026 21:06:44		Action Started - K1 Paul Catling (Mobile)			JG
30/06/2026 21:07:07		Action in progress: Ans machine. No message left - KO1 Paul Catling (Mobile)			JG
30/06/2026 21:07:07		Outcome : Attempted - KO1 Paul Catling (Mobile)			JG
30/06/2026 21:07:10		Action Started - K1 Paul Catling (Mobile)			JG
30/06/2026 21:07:11		Action in progress: SMS sent - KT1 Paul Catling (Mobile)			AUT
30/06/2026 21:07:11		Outcome : Contacted No Response Required - KT1 Paul Catling (Mobile)			AUT
30/06/2026 21:07:31		Alarm closed (Opr)			JG

The Old School House Heythrop

88017612

The Old School House
Heythrop
Chipping Norton
OX7 5TN

Date and Time	Zone	Event Detail	Actions	Alarm Closed	Operator
01/07/2026 04:16:07	3	VSS Picture received	NO3	01/07/2026 04:17:32	
01/07/2026 04:16:07		VSS Picture received T:1 A:VSS Transmitter(1) C:3 PATIO 2026-07-01,04:16:04 Alarm Probability Score: 88			SDL
01/07/2026 04:16:14		Being Handled VSS Picture received - Site Armed			SDL
01/07/2026 04:16:19		Operator reviewed message (04:16:07 01-07) Duration: 4 Seconds			SDL
01/07/2026 04:16:40		C:3 PATIO			
01/07/2026 04:16:45		Action Started - N3 (Information Page)			SDL
01/07/2026 04:16:47		Action in progress: Action Completed - NO3 (Information Page)			SDL
01/07/2026 04:16:47		Outcome : Completed - NO3 (Information Page)			SDL
01/07/2026 04:17:32		False alarm cancelled (Opr)			SDL
01/07/2026 04:17:32		Cause Added - 1 - No Activity Witnessed, Escalation not required (203)			SDL
01/07/2026 04:17:32		Alarm closed (Opr)			SDL

Compton Wynnyates Estate

88020722

Phone: 01295680229

Compton Wynnyates
Warwick
CV35 0UD

Date and Time	Zone	Event Detail	Actions	Alarm Closed	Operator
30/06/2026 07:00:32		Open	CC3	30/06/2026 07:02:44	
30/06/2026 07:00:32		Open A:VSS Transmitter(1)			
30/06/2026 07:02:38		Being Handled Open - Site Disarmed			AUT
30/06/2026 07:02:38		Action Started - C3 (Command)			AUT
30/06/2026 07:02:44		Action in progress: Reverse command succeeded - CC3 (Command)			AUT
30/06/2026 07:02:44		Outcome : Reverse Channel Command action completed - CC3 (Command)			AUT
30/06/2026 07:02:44		Alarm closed (Opr)			AUT
30/06/2026 20:00:00		Close	CC2	30/06/2026 20:00:07	
30/06/2026 20:00:00		Close A:VSS Transmitter(1)			
30/06/2026 20:00:01		Being Handled Close - Site Armed			AUT

Actions P = Police, K = Keyholder Group, S = Site, A = Special Action, N = Info Page, F = Fire, G = Gen Agency

Legend: I = Installer, M = Medical, C = Command, R = Report, T = Guard Tour, E = Enter Cause, L = Link Account

30/06/2026 20:00:01	Action Started - C2 (Command)	AUT
30/06/2026 20:00:06	Action in progress: Reverse command succeeded - CC2 (Command)	AUT
30/06/2026 20:00:06	Outcome : Reverse Channel Command action completed - CC2 (Command)	AUT
30/06/2026 20:00:07	Alarm closed (Opr)	AUT
30/06/2026 20:58:14	16 Vehicle Detected	30/06/2026 21:00:11
30/06/2026 20:58:14	Vehicle Detected T:1 A:VSS Transmitter(1) C:16 Machinery Barn Int 2026/6/30 21:01:06	BEN
	Alarm Probability Score: 78	
30/06/2026 20:59:28	Being Handled Vehicle Detected - Site Armed	BEN
30/06/2026 20:59:33	Operator reviewed message (20:58:14 30-06) Duration: 4 Seconds	BEN
30/06/2026 20:59:40	C:16 Machinery Barn Int	
30/06/2026 21:00:08	T:1 A:VSS Transmitter(1) C:2 Main Drive The request was aborted: The request was canceled.	
30/06/2026 21:00:10	False alarm cancelled (Opr)	BEN
30/06/2026 21:00:10	Cause Added - 1 - No Activity Witnessed, Escalation not required (203)	BEN
30/06/2026 21:00:11	Alarm closed (Opr)	BEN
30/06/2026 21:42:48	16 Vehicle Detected	NO3 30/06/2026 21:45:41
30/06/2026 21:42:48	Vehicle Detected T:1 A:VSS Transmitter(1) C:16 Machinery Barn Int 2026/6/30 21:45:40	JG
	Alarm Probability Score: 65	
30/06/2026 21:45:13	Being Handled Vehicle Detected - Site Armed	JG
30/06/2026 21:45:17	Operator reviewed message (21:42:48 30-06) Duration: 3 Seconds	JG
30/06/2026 21:45:18	Action Started - N3 (Information Page)	JG
30/06/2026 21:45:18	Action in progress: Action Completed - NO3 (Information Page)	JG
30/06/2026 21:45:18	Outcome : Completed - NO3 (Information Page)	JG
30/06/2026 21:45:20	C:16 Machinery Barn Int	
30/06/2026 21:45:41	False alarm cancelled (Opr)	JG
30/06/2026 21:45:41	Cause Added - 1 - No Activity Witnessed, Escalation not required (203)	JG
30/06/2026 21:45:41	Alarm closed (Opr)	JG
01/07/2026 04:38:20	16 Vehicle Detected	NO3 01/07/2026 04:42:37
01/07/2026 04:38:20	Vehicle Detected T:1 A:VSS Transmitter(1) C:16 Machinery Barn Int 2026/7/1 04:41:10	CGR
	Alarm Probability Score: 87	
01/07/2026 04:42:23	Being Handled Vehicle Detected - Site Armed	CGR
01/07/2026 04:42:29	Operator reviewed message (04:38:20 01-07) Duration: 4 Seconds	CGR
01/07/2026 04:42:31	Action Started - N3 (Information Page)	CGR
01/07/2026 04:42:33	Action in progress: Action Completed - NO3 (Information Page)	CGR
01/07/2026 04:42:33	Outcome : Completed - NO3 (Information Page)	CGR
01/07/2026 04:42:36	False alarm cancelled (Opr)	CGR
01/07/2026 04:42:36	Cause Added - 1 - No Activity Witnessed, Escalation not required (203)	CGR
01/07/2026 04:42:37	Alarm closed (Opr)	CGR
01/07/2026 04:42:37	C:16 Machinery Barn Int	

Black Knap House 88021056

Black Knap House Heythrop
Chipping Norton
OX7 5TP

Date and Time	Zone	Event Detail	Actions	Alarm Closed	Operator
30/06/2026 09:46:50		VSS Connection Failure	NO3KT1	30/06/2026 10:00:00	
30/06/2026 09:46:50		VSS Connection Failure T:1			
30/06/2026 09:56:50		Being Handled VSS Connection Failure - Site Disarmed			MHE
30/06/2026 09:57:00		Action Started - N3 (Information Page)			MHE
30/06/2026 09:57:02		Action in progress: Action Completed - NO3 (Information Page)			MHE
30/06/2026 09:57:02		Outcome : Completed - NO3 (Information Page)			MHE
30/06/2026 09:57:05		T:1 A:VSS Transmitter(1) C:1 Front Gate PTZ FailedToOpenConnection			
30/06/2026 09:57:09		T:1 A:VSS Transmitter(1) C:11 House Front FailedToOpenConnection			
30/06/2026 09:57:12		T:1 A:VSS Transmitter(1) C:12 House Up Drive FailedToOpenConnection			

Actions P = Police, K = Keyholder Group, S = Site, A = Special Action, N = Info Page, F = Fire, G = Gen Agency
Legend: I = Installer, M = Medical, C - Command, R = Report, T = Guard Tour, E = Enter Cause, L = Link Account

30/06/2026 09:57:15	T:1 A:VSS Transmitter(1) C:13 House Greenhouse FailedToOpenConnection	
30/06/2026 09:57:19	T:1 A:VSS Transmitter(1) C:14 House Rear Left FailedToOpenConnection	
30/06/2026 09:57:23	T:1 A:VSS Transmitter(1) C:15 House Rear Pool Side FailedToOpenConnection	
30/06/2026 09:57:26	T:1 A:VSS Transmitter(1) C:20 Thermal Front Left Wall FailedToOpenConnection	
30/06/2026 09:57:29	T:1 A:VSS Transmitter(1) C:21 Thermal Back Drive to Gate FailedToOpenConnection	
30/06/2026 09:57:33	T:1 A:VSS Transmitter(1) C:22 Thermal Back Drive to Rear FailedToOpenConnection	
30/06/2026 09:57:37	T:1 A:VSS Transmitter(1) C:23 W Corner - Facing N FailedToOpenConnection	
30/06/2026 09:57:40	T:1 A:VSS Transmitter(1) C:24 Thermal Bottom Wall FailedToOpenConnection	
30/06/2026 09:57:44	T:1 A:VSS Transmitter(1) C:25 Thermal - Compost Drive 2 Veggie FailedToOpenConnection	
30/06/2026 09:57:48	T:1 A:VSS Transmitter(1) C:26 Thermal - Compost Drive 2 Gate FailedToOpenConnection	
30/06/2026 09:57:50	Action Started - N3 (Information Page)	MHE
30/06/2026 09:57:50	T:1 A:VSS Transmitter(1) C:1 Front Gate PTZ The request was aborted: The operation has timed out.	
30/06/2026 09:57:50	T:1 A:VSS Transmitter(1) C:27 Thermal - Compost Gate FailedToOpenConnection	
30/06/2026 09:57:54	T:1 A:VSS Transmitter(1) C:28 Thermal - Garages FailedToOpenConnection	
30/06/2026 09:57:57	T:1 A:VSS Transmitter(1) C:29 Thermal - New Garages FailedToOpenConnection	
30/06/2026 09:58:26	Action Started - S1 MAIN SITE (Home)	MHE
30/06/2026 09:58:57	Action in progress: No answer - SO1 MAIN SITE (Home)	MHE
30/06/2026 09:58:57	Outcome : Attempted - SO1 MAIN SITE (Home)	MHE
30/06/2026 09:59:03	Action Started - K1 Karl Devine (Mobile)	MHE
30/06/2026 09:59:26	Action in progress: No answer - KO1 Karl Devine (Mobile)	MHE
30/06/2026 09:59:27	Outcome : Attempted - KO1 Karl Devine (Mobile)	MHE
30/06/2026 09:59:27	Action Started - K1 Rachael Devine (Mobile)	MHE
30/06/2026 09:59:45	Action in progress: No answer - KO1 Rachael Devine (Mobile)	MHE
30/06/2026 09:59:45	Outcome : Attempted - KO1 Rachael Devine (Mobile)	MHE
30/06/2026 09:59:48	Action Started - K1 Karl Devine (Mobile)	MHE
30/06/2026 09:59:49	Action in progress: SMS sent - KT1 Karl Devine (Mobile)	AUT
30/06/2026 09:59:49	Outcome : Contacted No Response Required - KT1 Karl Devine (Mobile)	AUT
30/06/2026 09:59:50	Action Started - K1 Rachael Devine (Mobile)	MHE
30/06/2026 09:59:51	Action in progress: SMS sent - KT1 Rachael Devine (Mobile)	AUT
30/06/2026 09:59:51	Outcome : Contacted No Response Required - KT1 Rachael Devine (Mobile)	AUT
30/06/2026 10:00:00	False alarm cancelled (Opr)	MHE
30/06/2026 10:00:00	Cause Added - 3. No Response - Escalated as per site process (366)	MHE
30/06/2026 10:00:00	Alarm closed (Opr)	MHE

Cause of above VSS Connection Failure: 3. No Response - Escalated as per site process

30/06/2026 15:56:47

Line Restore

01/07/2026 01:02:19	11	VSS Picture received	NO3	01/07/2026 01:03:15
01/07/2026 01:02:19	VSS Picture received T:1 A:VSS Transmitter(1) C:11 House Front 2026-07-01,01:02:13			CGR
	Alarm Probability Score: 100			
01/07/2026 01:02:54	Being Handled VSS Picture received - Site Armed			CGR
01/07/2026 01:02:59	Operator reviewed message (01:02:19 01-07) Duration: 4 Seconds			CGR
01/07/2026 01:03:08	Action Started - N3 (Information Page)			CGR
01/07/2026 01:03:11	Action in progress: Action Completed - NO3 (Information Page)			CGR
01/07/2026 01:03:11	Outcome : Completed - NO3 (Information Page)			CGR
01/07/2026 01:03:14	False alarm cancelled (Opr)			CGR
01/07/2026 01:03:14	Cause Added - 1 - No Activity Witnessed, Escalation not required (203)			CGR
01/07/2026 01:03:15	Alarm closed (Opr)			CGR
01/07/2026 01:03:15	C:11 House Front			

01/07/2026 04:08:28	11	VSS Picture received	NO3	01/07/2026 04:09:51
01/07/2026 04:08:28	VSS Picture received T:1 A:VSS Transmitter(1) C:11 House Front 2026-07-01,04:08:21			
	Alarm Probability Score: 100			
01/07/2026 04:09:48	Being Handled VSS Picture received - Site Armed			SIA
01/07/2026 04:09:49	Action Started - N3 (Information Page)			SIA
01/07/2026 04:09:50	Action in progress: Action Completed - NO3 (Information Page)			SIA

Actions

P = Police, K = Keyholder Group, S = Site, A = Special Action, N = Info Page, F = Fire, G = Gen Agency

Legend:

I = Installer, M = Medical, C = Command, R = Report, T = Guard Tour, E = Enter Cause, L = Link Account

01/07/2026 04:09:50	Outcome : Completed - NO3 (Information Page)	SIA
01/07/2026 04:09:51	False alarm cancelled (Opr)	SIA
01/07/2026 04:09:51	Cause Added - 1 - No Activity Witnessed, Escalation not required (203)	SIA
01/07/2026 04:09:51	Alarm closed (Opr)	SIA
01/07/2026 04:09:53	C:11 House Front	

Actions

P = Police, K = Keyholder Group, S = Site, A = Special Action, N = Info Page, F = Fire, G = Gen Agency

Legend:

I = Installer, M = Medical, C - Command, R = Report, T = Guard Tour, E = Enter Cause, L = Link Account